

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

## APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. Type of Well

Oil  
Well ☐Gas  
Well ☒

Other

Single  
Zone ☒Multiple  
Zone ☐

2. Name of Operator

Coastal Oil &amp; Gas Corporation

3. Address of Operator

P. O. Box 749, Denver, Colorado 80201

4. Location of Well (Report location clearly and in accordance with any State requirements.\*)

At surface  
1897' FSL/2134' FEL (NW SE)

At proposed prod. zone

Same

14. Distance in miles and direction from nearest town or post office\*

Approximately 15 miles SE of Ouray, Utah

15. Distance from proposed\*

location to nearest  
property or lease line, ft.  
(Also to nearest drlg. line, if any)

1897'

16. No. of acres in lease

640

17. No. of acres assigned  
to this well

160

18. Distance from proposed location\*  
to nearest well, drilling, completed,  
or applied for, on this lease, ft.

1662

19. Proposed depth

7350 (Wasatch)

20. Rotary or cable tools

Rotary

21. Elevations (Show whether DF, RT, GR, etc.)

4977' Ungr. Gr.

12. County or Parrish

Uintah

13. State

Utah

## 23. PROPOSED CASING AND CEMENTING PROGRAM

Size of Hole	Size of Casing	Weight per Foot	Setting Depth	Quantity of Cement
12 1/2"	9-5/8"	36#	200'	125 sx
8-3/4", 7-7/8"	4 1/2"	11.6#	7350'	Circulate cmt to surface to properly isolate the hydro- carbon-bearing zones, the oil shale & shallow ground water.

Fresh water aquifers will be protected when the long string  
is run and cement is circulated back to surface.  
Please see the attached supplemental information:

- 1) Survey Plat
- 2) Cut & Fill
- 3) BOP Program
- 4) BOP Schematic
- 5) Proposed Gas Well Production Hookup
  - a. Typical Wellhead Installation
  - b. Typical Connection to Main Lines & Pipe Anchor
  - c. Proposed Flowline Right-of-Way

APPROVED BY THE STATE  
OF UTAH DIVISION OF  
OIL, GAS, AND MINING

DATE: 6/7/82

BY: [Signature]

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

Signed

H. E. Aab

Title District Drilling Manager

Date June 3, 1982

(This space for Federal or State office use)

Permit No.

Approval Date

Approved by

Title


Date

Conditions of approval, if any:

**T 9 S , R 22 E , S.L.B. & M.**

PROJECT  
**COASTAL OIL & GAS CORP.**

Well location , **NBU # 51 J** ,  
located as shown in the NW 1/4 SE 1/4  
Section 32 , T 9 S , R 22 E , S.L.B. &  
M. Uintah County , Utah.



X = Section Corners Located



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM  
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY  
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE  
BEST OF MY KNOWLEDGE AND BELIEF.

*Lawrence E. Kay*  
REGISTERED LAND SURVEYOR  
REGISTRATION NO 3137  
STATE OF UTAH

**UINTAH ENGINEERING & LAND SURVEYING**  
**P.O. BOX Q - 85 SOUTH - 200 EAST**  
**VERNAL, UTAH - 84078**

SCALE	1" = 1000'	DATE	5/13/82
PARTY	DA JK DH LZ	REFERENCES	GLO Plat
WEATHER	Warm / Clear	FILE	COASTAL

OURAY

23.2

UINTAH AND OURAY INDIAN RESERVATION

T 9 S

T 10 S

COASTAL OIL & GAS  
CORPORATION

NBU # 51 J

PROPOSED LOCATION

TOPO.

MAP "A"



SCALE - 1" = 4 Mi.

## BLOWOUT PREVENTER PROGRAM:

Operator's minimum specifications for pressure control equipment which is to be used, a schematic diagram thereof showing sizes, pressure ratings, and testing procedures and testing frequency.

Bottom:

3000# BOP W/4-1/2" pipe rams  
3000# BOP W/blind rams  
3000# Hydril

Top:

Grant rotating head

Manifold includes appropriate valves, positive and adjustable chokes and kill line, to control abnormal pressures.

BOP's will be tested at installation and will be cycled on each trip.

The type and characteristics of the proposed circulating medium to be employed for rotary drilling and the quantities and types of mud and weighting material to be maintained:


The well will be drilled with fresh water mud from surface to 4500' with a weight of 8.3 to 8.7 ppg. From 4500' to TD the well will be drilled with fresh water mud with a weight from 8.7 to 10.4 PPG.

Auxiliary equipment to be used:

- a. kelly cock
- b. monitoring equipment on the mud system
- c. a sub with a full opening valve will be available on the floor to stab into the drill pipe when the kelly is not in the string.


3000 psi

Working Pressure BOP's



### Test Procedure

- 1) Flush BOP's and all lines to be tested with water.
- 2) Run test plug on test joint and seat in casing head (leave valve below test plug open to check for leak).
- 3) Test the following to rated pressure:
  - a) inside blowout preventer
  - b) lower kelly cock
  - c) upper kelly cock
  - d) stand pipe valve
  - e) lines to mud pump
  - f) kill line to BOP's
- 4) Close and test pipe rams to rated pressure.
- 5) Close and test Hydril to rated pressure.
- 6) Back off and leave test plug in place. Close and test blind rams to rated pressure.
- 7) Test all choke manifold valves to rated pressure.
- 8) Test kill line valves to rated pressure.



COASTAL OIL & GAS CORPORATION DENVER, COLORADO
Natural Buttes Unit #51J Section 32-T9S-R22E Uintah County, Utah



Statement for permit to lay flow line, to be included with application for Drilling Permit:

Upon approval of all concerned regulatory agencies, CIG proposes to install a surface flow line from NBU 51J in a southerly direction through the NW/4 of Section 32 connecting to Line F 39-2" in the NW/4 of Section 32, all in 9S-22E. The line will be approximately 70' long, as shown on the attached sketches.

Pipe will be 2-3/8" O.D. x .154" W.T., Grade B EW. It will be butt-welded in place, using portable electric welding machines, and will be laid aboveground except where burial is necessary for road crossing, ditches, or other obstructions. Magnesium anodes will be installed at the dehydrator, meter setting, road crossings, underground piping at stream crossings, and at producer's separator for corrosion protection.

CIG will connect to producer's separator and install dehydration and metering facilities within 100' of the connection.

Some damage will be incurred by trucks transporting pipe and welding equipment over the pipeline route, but surface disturbance will be held to a minimum.




Colorado Interstate Gas Co.  
COLORADO SPRINGS COLORADO

TYPICAL CONNECTION TO MAIN LINES AND PIPE ANCHOR DETAIL - NATURAL BUTTES FIELD


UINTA COUNTY, UTAH

1 2305B REVISE STARTING POINT 8-22-77 RWP

NO. C O NO DESCRIPTION DATE 5-1-78 SCALE NONE DRAWN RWP

115FP-1 1/2





Colorado Interstate Gas Co.  
COLORADO SPRINGS, COLORADO

TYPICAL WELL HEAD INSTALLATION  
NATURAL BUTTES FIELD

UINTAH COUNTY,

UTAH

NO	DESCRIPTION	DATE	BY	CHK	APPR

SCALE NONE DEPTH RWP DATE

DATE 7-15-77

100 23858

115FP-2 1/8

REVISIONS

ESTIMATE SKETCH

DATE: 5-24-82  
STARTING DATE: \_\_\_\_\_  
EST. COMP. DATE: \_\_\_\_\_  
☐ COMPANY ☒ CONTRACT


☒ COLORADO INTERSTATE GAS COMPANY  
☐ \_\_\_\_\_

W O NO.: \_\_\_\_\_  
REVISION NO.: \_\_\_\_\_  
BUDGET NO.: \_\_\_\_\_  
RELATED DWG.: 115 FU-1C-1

LOCATION: NW. SE 32.95.22E COUNTY: UTAH STATE: UTAH  
DESCRIPTION OF WORK: CONNECT HBU 51J  
COASTAL OIL CORP.  
NATURAL BUTTES FIELD

REQUESTED BY: \_\_\_\_\_ APPROXIMATE MILEAGE: \_\_\_\_\_ PROJECT ENGINEER: JFK

RANGE: 22 E



TOWNSHIP: 9S


PREPARED BY: JCM

SCALE (IF ANY): 1" = 1,000'


# COASTAL OIL & GAS CORP.

WELL NO. 51J

PROPOSED ACCESS ROAD







\*\* FILE NOTATIONS \*\*

DATE: June 7, 1982

OPERATOR: Coastal Oil & Gas Corporation

WELL NO: Natural Buttes Unit #515

Location: Sec. 32 T. 9S R. 22E County: Uintah

File Prepared:



Entered on N.I.D:



Card Indexed:



Completion Sheet:



API Number 43-047-31234

CHECKED BY:


Petroleum Engineer: \_\_\_\_\_

Director: \_\_\_\_\_

Administrative Aide: Unit Well

APPROVAL LETTER:

Bond Required:



Survey Plat Required:



Order No. \_\_\_\_\_

O.K. Rule C-3



Rule C-3(c), Topographic Exception - company owns or controls acreage  
within a 660' radius of proposed site



Lease Designation




Plotted on Map



Approval Letter Written



Hot Line



P.I.



June 7, 1982

Coastal Oil & Gas Corporation  
P.O. Box 749  
Denver, Colorado 80201

RE: Well No. Natural Buttes Unit #51J  
Sec. 32, T9S, R22E  
Uintah County

Insofar as this office is concerned, approval to drill the above referred to gas well is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953 and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

CLEON B. FEIGHT  
Office: 533-5771  
Home: 466-4455

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-31234.

Sincerely,

DIVISION OF OIL, GAS AND MINING

Ronald J. Firth  
Chief Petroleum Engineer

RJF:SC  
cc: State Lands  
Enclosure

NOTICE OF SPUD

Company: Coastal  
Caller: Sandy  
Phone: 303-572-1121 Alt 269  
  
Well Number: NB4 51 T  
Location: NW SE 32-95-22E  
County: Mintak State: Utah  
Lease Number: \_\_\_\_\_  
Lease Expiration Date: \_\_\_\_\_  
Unit Name (If Applicable): Natural Bull  
Date & Time Spudded: 6-21-82 8:AM  
Dry Hole Spudder/Rotary: \_\_\_\_\_  
Details of Spud (Hole, Casing, Cement, etc.) \_\_\_\_\_  
203' 13" Ann.  
978" C at 201'  
  
Rotary Rig Name & Number: Loffland 236  
Approximate Date Rotary Moves In: 7-6-82

FOLLOW WITH SUNDRY NOTICE

Call Received By: NO Power  
Date: 6-29-82



NOTICE OF SPUD

WELL NAME: NBU #513

LOCATION: NW 1/4 SE 1/4 SECTION 32 T- 9S R- 22E

COUNTY: Winton STATE: Utah

LEASE NO.: NK-22649 LEASE EXPIRATION DATE: \_\_\_\_\_

UNIT NAME (If Applicable): Natural Bentes

DATE & TIME SPUDDED: 6-21-82 8:00 a.m.

DRY HOLE SPUDDER: Ru Ram-Air

DETAILS OF SPUD (Hole, Casing, Cement, etc.): Ø 203'-13" Hole  
Cmt w/125 SX  
Ran 9-5/8" Set @ 201 G. Circ 6 BBL to Surf.

ROTARY RIG NAME & NUMBER: Loff land #236

APPROXIMATE DATE ROTARY MOVES IN: July 3, 1982

FOLLOW WITH SUNDRY NOTICE

USGS CALLED: DATE: 6-29-82

PERSON CALLED: DeLois

STATE CALLED: DATE: 6-29-82

PERSON CALLED: Sandra

REPORTED BY: Sandy Crowell

P1  
HOTLINE

DIVISION OF OIL, GAS AND MINING

SPODDING INFORMATION

NAME OF COMPANY: COASTAL OIL & GAS

WELL NAME: NBU #51J

SECTION NWSE 32 TOWNSHIP 9S RANGE 22E COUNTY UINTAH

DRILLING CONTRACTOR LOFFLUND

RIG # 236

SPODDED: DATE 06-21-82

TIME 8:00 AM

HOW DRY HOLE

DRILLING WILL COMMENCE \_\_\_\_\_

REPORTED BY SANDY

TELEPHONE # 303-572-1121

DATE 06-29-82 SIGNED SLC

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

# SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL <input type="checkbox"/> GAS <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. ML-22649
2. NAME OF OPERATOR Coastal Oil & Gas Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A
3. ADDRESS OF OPERATOR P. O. Box 749, Denver, Colorado 80201		7. UNIT AGREEMENT NAME Natural Buttes Unit
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1897' FSL/2134' FEL (NW SE)		8. FARM OR LEASE NAME Natural Buttes Unit
14. PERMIT NO. 43-047-31234		9. WELL NO. Natural Buttes Unit #51J
15. ELEVATIONS (Show whether DF, RT, OR, etc.) 4977' Ungr. Gr.		10. FIELD AND POOL, OR WILDCAT Natural Buttes Field
		11. SEC., T., R., M., OR ALE. AND SURVEY OR AREA Section 32-T9S-R22E
		12. COUNTY OR PARISH Uintah
		13. STATE Utah

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

### NOTICE OF INTENTION TO:

### SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐PULL OR ALTER CASING ☐WATER SHUT-OFF ☐REPAIRING WELL ☐FRACTURE TREAT ☐MULTIPLE COMPLETION ☐FRACTURE TREATMENT ☐ALTERING CASING ☐SHOOT OR ACIDIZE ☐ABANDON ☐SHOOTING OR ACIDIZING ☐ABANDONMENT ☐REPAIR WELL ☐CHANGE PLANS ☐(Other) ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

(Other)

Change Casing Program

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) \* It is proposed to change casing program FROM:

### PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/2"	9-5/8"	36#	200'	125 sx
7-7/8"	4 1/2"	11.6#	7350'	Circulate cmt to surface to properly isolate the hydrocarbon bearing zones, the oil shale & shallow ground water.

TO:

### PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/2"	9-5/8"	36#	200'	125 sx
7-7/8"	5 1/2"	17#	7350'	Circulate cmt to surface to properly isolate the hydrocarbon bearing zones, the oil shale & shallow ground water.

18. I hereby certify that the foregoing is true and correct

SIGNED

L. W. Thyring

TITLE District Drilling Engineer

DATE

June 25, 1982

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPLICATE\*  
(Other instructions on  
reverse side)

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

<b>1. OIL WELL</b> <input type="checkbox"/> <b>GAS WELL</b> <input checked="" type="checkbox"/> <b>OTHER</b> <input type="checkbox"/> <b>2. NAME OF OPERATOR</b> Coastal Oil & Gas Corporation <b>3. ADDRESS OF OPERATOR</b> P. O. Box 749, Denver, Colorado 80201 <b>4. LOCATION OF WELL</b> (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface <div style="text-align: center; margin-top: 10px;">1897' FSL/2134' FEL (NW SE)</div>		<b>5. LEASE DESIGNATION AND SERIAL NO.</b> ML-22649 <b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME</b> N/A <b>7. UNIT AGREEMENT NAME</b> Natural Buttes Unit <b>8. FARM OR LEASE NAME</b> Natural Buttes Unit <b>9. WELL NO.</b> Natural Buttes Unit #51J <b>10. FIELD AND POOL, OR WILDCAT</b> Natural Buttes Field <b>11. SEC., T., R., M., OR B.L.K. AND SURVEY OR AREA</b> Section 32-T9S-R22E <b>12. COUNTY OR PARISH</b> Uintah <b>13. STATE</b> Utah
<b>14. PERMIT NO.</b> 43-047-31234	<b>15. ELEVATIONS</b> (Show whether DF, RT, OR, etc.) 4977' Ungr. Gr.	

**16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data**

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

**17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS** (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

USGS (Delois) and State of Utah (Sandra) notified on June 29, 1982 regarding the attached Notice of Spud.

**18. I hereby certify that the foregoing is true and correct**

SIGNED H. E. Aab

TITLE District Drilling Manager

DATE 6/29/82

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO. ML-22649
2. NAME OF OPERATOR Coastal Oil & Gas Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A
3. ADDRESS OF OPERATOR P. O. Box 749, Denver, Colorado 80201		7. UNIT AGREEMENT NAME Natural Buttes Unit
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1897' FSL/2134' FEL (NW SE)		8. FARM OR LEASE NAME Natural Buttes Unit
14. PERMIT NO. 43-047-31234		9. WELL NO. Natural Buttes Unit #51J
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4977' Ungr. Gr.		10. FIELD AND POOL, OR WILDCAT Natural Buttes Field
		11. SEC. T., R., M., OR BLK. AND SURVEY OR AREA Section 32-T9S-R22E
		12. COUNTY OR PARISH Uintah
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input checked="" type="checkbox"/>	(Other) <input type="checkbox"/>	(Other) <input type="checkbox"/>
(Other) <b>OPERATIONS</b>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Please see attached chronological for report of operations through July 15, 1982.

18. I hereby certify that the foregoing is true and correct

SIGNED

L. W. Thying

TITLE District Drilling Engineer

DATE July 15, 1982

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

Natural Buttes Unit  
 Uintah, Utah

AFE: 13022 WI: 100%  
 ATD: 7150' SD: 6-21-82/ 7-2-82  
 Coastal Oil & Gas Corp., Oper.  
 Loffland #236  
 9-5/8" @ 201 GL

LOCATION: 1897' FSL/2134' FEL NW SE  
 Section 32-T9S-R22E  
 4977' Ungr. Gr.

6-24-82 203'; (203' 10 hrs); WO RT.

MI Ram Air Drlg. Drlg. 203' 13" Hole, Ran 5 Jts 9-5/8" 36# K-55, Land 201' GL, Spud 8:00 a.m. 6/21/82, Howco Cmt w/125 sx 'H', 2% CaCl<sub>2</sub>, 1/4#/sk Flocele, Circ 6 BBL Cmt to Surf. Cum Csts: \$33,363.

7-2-82 203'; RU RT.

WO Daylight; RU w/Jones Trucking; WO Daylight. Cum Csts: \$42,713.

7-4-82 1530'; (123' - 23 1/2 hrs); Drlg.

Drlg. Surf; Drlg. (1/2° @ 540'), (1 1/2° @ 1532'). Cum Csts: \$63,154.

7-5-82 1783'; (253' - 4 1/2 hrs); WOC Plug #2.

Survey; Drlg. w/85% Returns, Lost Comp Returns 1570', Dry Drlg. 1783'; TOH, 1 hr TIH to 1228', Howco Set Plug #1, 300 sks 'H', 3% CaCl<sub>2</sub>, 1/4#/sk Flocele, 7#/sk Gilsonite, Comp 1:15 p.m. 7/4/82; TOH, woc, Hole Would Not Fill; TIH to 1228', Plug #2, 150 sx H, 3% CaCl<sub>2</sub>, 10% CalSeal, 1/4#/sk Flocele, 5#/sk Gilsonite, Finish 10:35 p.m. 7/4/82. WOC, Hole will Fill w/Water. MW 8.7, VIS 27. (1 1/2° @ 1,532'). Cum Csts: \$70,779.

7-6-82 2317'; (534' - 11 hrs); W.O. Howco F/Plug #3.

WOC Plug #2, TIH Tag TOC @ 1483'; Drlg. Cmt; Drlg. Form. w/Full Returns; RS & Svy; Drlg. Lost Circ @ 2215'; Dry Drlg. to 2317'; POOH & TIH Open Ended To 821' Prep to Set Cmt Plug #3. MW 8.5, VIS 26. (1-3/4° @ 2005'). Cum Csts: \$78,404.

7-7-82 2375'; (58' - 1 1/2 hrs); Drlg.

W. O. Howco; RU Howco; Cmt. Loss Zone w/150 sx Class 'H', 10% CalSeal, 3% CaCl<sub>2</sub>, 5#/sk Gilsonite, 1/4#/sk Flocele; WOC, Fill After 4 Hrs, Stayed Full; TIH, TOC @ 1205'; Drlg. Cmt 1205'-2123'; Drlg. MW 8.5, VIS 27. Cum Csts: \$90,479.

7-8-82 3275'; (900' - 23 hrs); Drlg.

Drlg.; RS, Svy; Drlg.; Svy; Drlg. BGG 100, CG 130. Drlg. Brks: 2816'-22', rate 2-1-2 mpf, gas 100-190-130; 2854'-60', rate 1.5-1-1.5 mpf, gas 130-210-120; 3126'-34', rate 1.5-1-1.5 mpf, gas 60-150-60; 3182'-3202', rate 1.5-1-1.5 mpf, gas 60-130-70. MW 8.4, VIS 28. (1° @ 2580'); (1 1/2° @ 3155'). Cum Csts: \$107,710.

7-9-82 4093'; (818' - 22 hrs); Pump Flag for Hole in Pipe.

Drlg.; RS; Drlg., Lost 200 psi; Trip for Hole in DP, Was in 1st jt of 17th Std in Slip Area; TIH; Drlg., Lost 200 psi, Pump Flag. Drlg. Brks: 3500-06, rate 2-1-1.5 mpf, gas 80-150-100; 3638'-46', rate 1.5-1-1.5 mpf, gas 80-150-140; 3658'-70', rate 1.5-1-1.5 mpf, gas 140-150-100; 3734'-62', rate 1.5-1-1.5 mpf, gas 80-120-100; 3766'-80', rate 1.5-1-1.5 mpf, gas 100-130-106; 3918'-90', rate 1-1.5-1 mpf, gas 110-140-120. MW 8.4, VIS 28. Cum Csts: \$133,303.

7-10-82 4580'; (487' - 20 1/2 hrs); Drlg. 15 FPH.

Trip for Hole in Pipe, Hole 32nd Stand Down in Slip Area; Drlg.; RS, Chk BOP; Swivel Repairs; Drlg. Drlg. Brks: 4100'-08', rate 1.5-.5-1.5 mpf, gas 100-120-100; 4214'-18', rate 1.5-.5-1.5 mpf, gas 200-520-400; 4462'-76', rate 4-1.5-3.5 mpf, gas 300-320-200. CG 180, BGG 150, MW 9.1, VIS 33, WL 15.2, PV 5, YP 5, Sand Tr, Solids 5.4, pH 9.4, ALK.:Pf .2, Mf .7, CL 1400, CA Tr, GELS 2/3, Cake 2, MBT 12.5. Cum Csts: \$142,575.

7-11-82 4935'; (355' - 23 1/2 hrs); Drlg. 12 FPH.

Drlg.; RS; Drlg. Drlg. Brks: 4698'-4710', rate 3-1.5-3 mpf, gas 100-200-130; 4902'-4924', rate 3.5-1.5-5.5 mpf, gas 50-200-100. BGG 100, CG 130. MW 9.3, VIS 35, WL 14, PV 7, YP 5, Sand Tr, Solids 6/8, pH 9.4, ALK.:Pf .2, Mf .5, CL 1300, CA Tr, GELS 3/6, Cake 2, MBT 15. Cum Csts: \$151,330.

7-12-82 5247'; (312' - 23 hrs); Drlg. 12 FPH.

Drlg.; RS; Rig Repair; Drlg. Drlg. Brks: 4976'-84', rate 3.5-1.5-2.5 mpf, gas 50-140-300; 5202'-08', rate 2.5-1-3 mpf, gas 100-300-60. BGG 80, CG 100. MW 9.3, VIS 34, WL 18, PV 6, YP 7, Oil 0, Sand Tr, Solids 6.8, pH 9.4, ALK.:Pf .2, Mf .5, CL 1200, CA 40, GELS 2/5, Cake 2, MBT 15. Cum Csts: \$160,148.

7-13-82 5610'; (363' - 23 1/2 hrs); Drlg. 11 FPH.

Drlg.; RS, Chk BOP; Drlg. Drlg. Brks: 5390'-5412', rate 4-1-4.5 mpf, gas 8-100-50; 5480'-5504', rate 2-1.5-3 mpf, gas 10-160-30; 5578'-5584', rate 2.5-1.5-3.5 mpf, gas 10-130-10. BGG 8, CG 20. MW 9.3, VIS 33, WL 16, PV 5, YP 6, Sand Tr, Solids 7, pH 9.2, ALK.:Pf .2, Mf .5, CL 1200, CA Tr, GELS 3/6, Cake 2, MBT 15. Cum Csts: \$168,818.

SUBMIT IN DUPLICATE\*

(See other instructions on reverse side)

STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other \_\_\_\_\_

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other \_\_\_\_\_

2. NAME OF OPERATOR

COASTAL OIL &amp; GAS CORPORATION

3. ADDRESS OF OPERATOR

P. O. BOX 749, DENVER, CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\*

At surface 1897' FSL &amp; 2134' FEL (NW SE)

At top prod. interval reported below SAME

At total depth SAME

14. PERMIT NO.

DATE ISSUED

43-047-31234

6-7-82

5. LEASE DESIGNATION AND SERIAL NO.

ML 22649

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

N/A

7. UNIT AGREEMENT NAME

NATURAL BUTTES UNIT

8. FARM OR LEASE NAME

NATURAL BUTTES UNIT

9. WELL NO.

NATURAL BUTTES UNIT #51J

10. FIELD AND POOL, OR WILDCAT

NATURAL BUTTES FIELD

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

SECTION 32-T9S-R22E

12. COUNTY OR PARISH

UINTAH

13. STATE

UTAH

15. DATE SPUDDED

6-21-82

16. DATE T.D. REACHED

7-14-82

17. DATE COMPL. (Ready to prod.)

8-1-82

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)\*

4977' ungr GR

19. ELEV. CASINGHEAD

-

20. TOTAL DEPTH, MD &amp; TVD

6050'

21. PLUG, BACK T.D., MD &amp; TVD

6009'

22. IF MULTIPLE COMPL., HOW MANY\*

N/S

23. INTERVALS DEILLED BY

ROTARY TOOLS

CABLE TOOLS

0-TD

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*

4901' - 5965' WASATCH

26. TYPE ELECTRIC AND OTHER LOGS RUN

DII/FDC/CNI

25. WAS DIRECTIONAL SURVEY MADE

YES

27. WAS WELL CORRED

NO

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	36#	201'	12-1/4"	125 SX	
5-1/2"	17#	6050'	7-7/8"	1810 SX	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					NONE		

31. PERFORATION RECORD (Interval, size and number)

Gun as Follows: 3-1/8" Csg.

4901' 4979' 5397' 5488' 5572' (2)  
 4908' 4982' 5402' 5494' 5790' 5944'  
 4913' 5206' 5410' 5499' 5867' 5958'  
 4920' 5392' 5480' 5510' 5871' 5965'

TOTAL: 24 HOLES

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4901' - 5965'	BRKDNW w/4800 GAL 3% KCl WTR.
	FRAC w/80,000 GAL GEL AND
	160,000 LBS. 20/40 SAND.

33.\*

PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
8-1-82		FLOWING				SIWOPLC	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BSL.	GAS—MCF.	WATER—BSL.	GAS-OIL RATIO
8-1-82	24	16/64"	→	0	2350	0	-
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BSL.	GAS—MCF.	WATER—BSL.	OIL GRAVITY-API (CORR.)	
-	1575	→	0	2350	0	-	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

VENTED

TEST WITNESSED BY

KARL ODEN

35. LIST OF ATTACHMENTS

NONE

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

W. J. GOODEN

TITLE

PRODUCTION ENGINEER

DATE AUGUST 2, 1982

\*(See Instructions and Spaces for Additional Data on Reverse Side)

# INSTRUCTIONS

**General:** This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 18:** Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

**Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

**Item 29: "Sacks Cement":** Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

**Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
				WASATCH	4432'	(+559')



FILE IN TRIPLICATE  
FORM OGC-8-X

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING  
1588 West North Temple  
Salt Lake City, Utah 84116

\*REPORT OF WATER ENCOUNTERED DURING DRILLING\*

Well Name & Number COG NATURAL BUTTES UNIT #51J  
Operator COASTAL OIL & GAS CORPORATION Address P. O. BOX 749, DNEVER, CO 80201  
Contractor LOFFLAND BRO. INC. Address P. O. BOX 3565, GRAND JCT. CO 81502  
Location NW 1/4 SE 1/4 Sec. 32 T. 9S R. 22E County UINTAH

Water Sands

	<u>Depth</u>	<u>Volume</u>	<u>Quality</u>
	From To	Flow Rate or Head	Fresh or Salty
1.	NONE REPORTED		
2.			
3.			
4.			
5.			

(Continue of reverse side if necessary)

Formation Tops

WASATCH FORAMTION 4432' (-559')  
Remarks

- NOTE: (a) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure.
- (b) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

SUBMIT TRIPLICATE\*  
(Other instructions on  
reverse side)

# SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO. ML-22649	
2. NAME OF OPERATOR -Coastal Oil & Gas Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A	
3. ADDRESS OF OPERATOR P. O. Box 749, Denver, Colorado 80201		7. UNIT AGREEMENT NAME Natural Buttes Unit	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1897' FSL/2134' FEL (NW SE)		8. FARM OR LEASE NAME Natural Buttes Unit	
14. PERMIT NO. 43-047-31234		9. WELL NO. Natural Buttes Unit #51J	
15. ELEVATIONS (Show whether DF, RT, OR, etc.) 4977' Ungr. Gr.		10. FIELD AND POOL, OR WILDCAT Natural Buttes Field	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 32-T9S-R22E	
		12. COUNTY OR PARISH Uintah	13. STATE Utah

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

### NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐  
☐  
☐  
☐

PULL OR ALTER CASING

☐  
☐  
☐  
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

Operations

☒

### SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐  
☐  
☐

REPAIRING WELL

☐  
☐  
☐

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).\*

Well completed 7/29/82. Completion report filed 8/2/82.

18. I hereby certify that the foregoing is true and correct

SIGNED

H. E. Aab

TITLE District Drilling Manager

DATE August 16, 1982

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

Natural Buttes Unit  
 Uintah, Utah

AFE: 13022 WI: 100%

ATD: 7150' SD: 6-21-82/7-2-82

Coastal Oil & Gas Corp., Oper.

Loffland #236

9-5/8" @ 201 GL

LOCATION: 1897' FSL/2134' FEL NW SE

Section 32-T9S-R22E

4977' Ungr. Gr.

TD: 6050' Perf: 4901-5965' (24 holes)  
 PBTD: 5974'

7-14-82 5920'; (310' - 23½ hrs); Drlg. 12 FPH.

Drlg.; RS; Drlg. BGG 10, CG 18. Drlg. Brk: 5790'-94', rate 4-1-3.5 mpf, gas 8-25-10. MW 9.2, VIS 33, WL 15.2, PV 5, YP 5, Sand Tr, Solids 6.3, pH 9.1, ALK.:Pf .2, Mf .6, CL 1100, CA 40, GELS 2/5, Cake 2, MBT 12.5. Cum Csts: \$176,663.

7-15-82 6050'; (130' - 11 hrs); TIH to Cond. For Pipe.

Drlg.; RS & Chk BOP; Drlg.; Circ & Cond Hole to Log; Drop Svy & Pump Pill; TOH f/Logs, SL = 6504'; RU Gerhart, Run OH Logs, DIL, FDC, CLN w/Caliper; 6053' = Logger's TD; TIH C&C For Csg. Drlg. Brk: 5953'-64', rate 4.5-1-4 mpf, gas 10-54-20. BGG 20, CG 60. MW 9.3, VIS 43, WL 14.2, PV 10, YP 10, Solids 7, pH 9.4, ALK.:Pf .2, Mf .6, CL 1100, CA Tr, GELS 2/8, Cake 2, MBT 17.5. (½° @ 6050'). Cum Csts: \$185,712.

7-16-82 6050'; RD RT Move to 65-N3.

TIH to Cond Hole; Circ; POOH LD DP DC's; Cha. Rams - RU Csg Crews; Run 148 jts 5½ 17# K-55 LTC Land 6050' FC 6009'; Circ Csg. Cmt w/Dowell: 50 BBL Spacer, 30 Flush, Lead: 930 sx 50/50 poz 10% Salt 8% Gel 6/10% D-60 5#/sk D042 ¼#/sx D-29, Tail: 880 sx 50/50 poz 10% salt 2% Gel .6% D-60 5#/sx D-42 ¼#/sx D-20 Disp 140 BBL 5% KCL Wtr. Circ 40 BBL Cmt to Surf, PD 10: 15 a.m. 7/15/82. Set Slips, Cut Csg; ND BOP's; Clean Pits RD RT; Rig Released 6:00 p.m. 7/16/82. Cum Csts: \$311,153.

7-20-82 Tagged PBTD @ 5966' KB w/gauge ring & junk basket on slickline.

7-21-82 RU GO Wireline. Run GR/CCL from PBTD of 5974' to 4400' w/mast truck.

7-22-82 thru 7-23-82 WO CU.

7-24-82 Flwg to pit after brkdwn; PBTD 5974'.

RU Dowell & press tst csg to 4800 psi; RU GO WL w/mast truck & perf Wasatch form w/3-1/8" csg gun as follows: 4901', 4908', 4913', 4920', 4979', 4982', 5206', 5392', 5397', 5402', 5410', 5480', 5488', 5494', 5499', 5510', 5790', 5867', 5871', 5944', 5958', 5965', 5572' (2), Neutron-Density depths (24 holes); brk dwn form w/180 bbl 3% KCl wtr w/scale inhib & clay stab & 48 BS; 10 bbl to load hole followed by 6 balls in 6 bbls & 21 balls in 6 bbl & flush; initial rate 15 BPM @ 2600 psi; 169 bbl tot pmpd - 10 BPM & 4500 psi; balled out; SD & surge balls; est rate 12 BPM & 1900 psi w/11 bbl; tot fl 180 BW; ISIP 1100 psi, 15 min 800 psi; opn to pit on 18/64" CK. Cum Csts: \$341,195.

7-25-82 SI; WO frac.

FCP 1300 psi, 16/64" CK, 1900 MCFD w/O BW; SI @ 1:30 PM; WO frac. Cum Csts: \$341,195.

7-26-82 SI; WO frac.

SICP 2000 psi. Cum Csts: \$341,195.

7-27-82 thru 7-29-82 SI; WO frac.

7-30-82 Prep to flw to pit to clean up after frac.

MI RU Dowell and frac Wasatch perfs 4901-5965' (24 holes) dwn 5½" csg w/80,000 gal low-residue X-linked gel & 160,000# 20/40 sd as follows: Start pad @ 43 BPM w/2800 psi; on perfs @ 32 BPM w/4600 psi; start 1 ppg @ 32 BPM w/4600 psi; on perfs @ 32 BPM w/4600 psi; start 2 ppg @ 39 BPM w/4500 psi; on perfs @ 39 BPM w/4400 psi; start 3 ppg @ 42 BPM w/4600 psi; on perfs @ 42 BPM w/4600 psi; start 4 ppg @ 45 BPM w/4700 spi; on perfs @ 45 BPM w/4500 psi; flush w/3% KCl @ 44 BPM w/4500 psi; ISIP 1650 psi, 15 min 1300 psi; AR 43 BPM, AP 4500 psi; SION. Cum Csts: \$377,526.

7-31-82 Flwg to pit to clean up after frac.

SICP 450 psi; opn to pit to clean up after frac on 16/64" CK @ 11 AM.

8-1-82 Flwg to pit to clean up after frac.

FCP 1000 psi, 16/64" CK, 1450 MCFD w/5-8 BW.

8-2-82 SI; WO PLC.


FCP 1575 psi, 16/64" CK, 2350 MCFD w/O BW; SI @ 12:00 Noon. Completed as single SI GW f/Wasatch perfs 4901-5965' (24 holes) 8-1-82. Cum Csts: \$384,826. Drop f/report.

WELL CODE 3			FIELD NAME NATURAL BUTTES, UT			OPERATOR CODE 2915			OPERATOR NAME COASTAL OIL & GAS CORPORATION			WELL NAME NATURAL BUTTES UNIT 51 J		
SECT. TOWNSHIP/BLK 12051 32			LOCATION RGE/SUR. 9S 2E			PANHANDLE/REDCAVE SEQ. NUMBER 01250			FORMATION K-FACTOR WASATCH SA FLOW TEST					
WELL ON (OPEN)			DATE (COMP.)			ORIFICE SIZE			METER RUN SIZE			FLOW TEST		
MO. DAY YR.			MO. DAY YR.			COEFFICIENT			GRAVITY (SEPI)			METER DIFF. RANGE		
11-12 13-14 15-16			17-18 19-20 21-22			23-24 25-26 27-28			29-30 31-32 33-34			35-36 37-38 39-40		
XX XX XX			XX XX XX			XX XX XX			XX XX XX			XX XX XX		
07 13 83			07 20 83			01 25 0			4 007			07329.6		
WELL-OFF (SHUT-IN)			SHUT-IN TEST			SLOPE			EFFECTIVE DIAMETER			EFFECTIVE LENGTH		
PRESSURE TAKEN			DATE			CASING PRESSURE (PSIG)			TUBING PRESSURE (PSIG)			GRAVITY (RAW GAS)		
MO. DAY YR.			MO. DAY YR.			23-24 25-26 27-28			29-30 31-32 33-34			35-36 37-38 39-40		
XX XX XX			XX XX XX			XX XX XX			XX XX XX			XX XX XX		
07 23 83			07 26 83			01618.0			01615.0			593		
REMARKS:			72651 01250			593			1 9950			4862.1		

WELL CODE 60-02-11			FIELD NAME NATURAL BUTTES, UT			OPERATOR CODE 7515			OPERATOR NAME COASTAL OIL & GAS CORPORATION			WELL NAME NATURAL BUTTES		
WELL CODE 3			LOCATION TWN 36 N / BLK 22 E			PAINHANDLE/RED CAVE SEQ. NUMBER			FORMATION VARIOUS			NO TEST		
WELL ON (OPEN)			DATE (COMP.)			ORIFICE SIZE			METER RUN SIZE			COEFFICIENT		
MO.	DAY.	YR.	MO.	DAY.	YR.									
11-12	13-14	15-16	17-18	19-20	21-22	27-28			32-33			38-39		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15	16	17			18			19		
XX	XX	XX	XX	XX	XX	XX			XX			XX		
11	12	13	14	15										

NBU 51J Sec 32, T9S, R22E Grubly 1/10/89

N ↗



STATE OF UTAH  
DIVISION OF OIL, GAS AND MINING

# SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.

Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well:

OIL ☐ GAS ☒ OTHER:

2. Name of Operator:

Coastal Oil & Gas Corporation

3. Address and Telephone Number:

P.O. Box 749, Denver, CO 80201-0749

(303) 573-4476

4. Location of Well

Footages: 1897' FSL & 2134' FEL

QQ, Sec., T., R., M.: NW/SE Section 32, T9S-R22E

5. Lease Designation and Serial Number:

ML-22649

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

Natural Buttes Unit

8. Well Name and Number:

NBU #51J

9. API Well Number:

43-047-31234

10. Field and Pool, or Wildcat:

Natural Buttes

## 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

### NOTICE OF INTENT

(Submit in Duplicate)

- |   |   |
|---|---|
| <input type="checkbox"/> Abandon  | <input type="checkbox"/> New Construction     |
| <input type="checkbox"/> Repair Casing                                  | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans                                | <input type="checkbox"/> Recompletion         |
| <input type="checkbox"/> Convert to Injection                           | <input type="checkbox"/> Perforate            |
| <input checked="" type="checkbox"/> Fracture Treat or Acidize           | <input type="checkbox"/> Vent or Flare        |
| <input type="checkbox"/> Multiple Completion                            | <input type="checkbox"/> Water Shut-Off       |
| <input checked="" type="checkbox"/> Other CO, raise tubing, install PLE |   |

Approximate date work will start \_\_\_\_\_ Upon approval \_\_\_\_\_

### SUBSEQUENT REPORT

(Submit Original Form Only)

- |  |   |
|--|---|
| <input type="checkbox"/> Abandon *                 | <input type="checkbox"/> New Construction     |
| <input type="checkbox"/> Repair Casing             | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans           | <input type="checkbox"/> Perforate            |
| <input type="checkbox"/> Convert to Injection      | <input type="checkbox"/> Vent or Flare        |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Water Shut-Off       |
| <input type="checkbox"/> Other _____               |   |


Date of work completion \_\_\_\_\_

Report results of bMultiple CompletionsÇ and bRecompletionsÇ to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

\* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please see the attached procedure for operations to be performed on the subject well.



13.

Name & Signature:

*Bonnie Carson*

Bonnie Carson

Title: Senior Environmental Analyst

Date: 06/19/97

(This space for State use only)

APPROVED BY THE STATE  
OF UTAH DIVISION OF  
OIL, GAS, AND MINING

DATE: 6/27/97

BY: *[Signature]*

**NBU #51J-32-9-22**  
**NATURAL BUTTES FIELD**  
**SECTION 32 T9S R22E**  
**WORKOVER PROCEDURE** *HW*

**WELL DATA**

LOCATION: 1897' FSL 2134' FEL SEC. 32 T9S R22E  
ELEVATION: 4977' GR., 4991' KB.  
TD: 6050', PBSD 6009' (8/82); WLS 5920' (11/94)  
CSG: 9-5/8", 36.0#, K-55 @ 201' w/ 125 SX.  
5-1/2", 17.0#, K-55 @ 6050' w/ 1810 SX.  
TBG: 2-3/8", 4.7#, J-55 @ 4848'  
FORMATION(S): WASATCH 4901' - 5965', 20 HOLES (1982)

**PROCEDURE**

1. MI & RU pulling unit. Blow down & kill well w/ minimum amount of 2% KCL water. ND WH. NU BOP. Record BLTR.
2. MI & RU Air/Foam unit. Circ. hole w/ 2% KCL water. CO from 5920' (WLS PBSD) to 6009'. RIH w/ Broach to check 2-3/8" tbg for scale.
3. RU service company. Spot 1050 gal. 15% HCL acid w/ additives across perf's 4901' - 5965' to clean up possible scale. RD service company. RIH & land 2-3/8" tbg @ 5300' (**new EOT**).
4. ND BOP. NU WH. RD & MO pulling unit. RU swab unit. Swab/flow back to clean up.
5. Complete installation of plunger lift equipment. Return the well to sales.



DATE \*\*\*\*\*  
 FOREMAN \_\_\_\_\_  
 KB 4991 GL 4977  
 WELL FIELD U 51J  
NATURAL BUTTES

SECTION 32  
 COUNTY UINTAH  
 STATE UT  
 TWS: T9S  
 RNG R22E

SPUD 6/21/82 Comp 8/1/82

#### CASING RECORD

SIZE	WT	GRADE	THD	AI	CMT
9-5/8"	36.0#	K-55		201'	125 SX.
5-1/2"	17.0#	K-55	8RDLT&C	6050'	1810 SX.

#### TUBING RECORD

SIZE	WT	GRADE	THD	FROM	TO
2-3/8"	4.7#	J-55		0'	4848'
JTS	SN	AC	MUD ANCHOR		
146	4815'		SIZE LGTH		

146 JTS

SN

4815'

1 JT

EOT

4848'

ORIG PBTD @ 6009'

5-1/2" @  
6050'

TD 6050'

#### COMMENTS/PERFORATIONS:

WASATCH 4901' - 5965' 24 HOLES /3-1/8" C.G.

4901'	4979'	5392'	5480'	5572' (2)	5944'
4908'	4982'	5397'	5488'		5958'
4913'		5402'	5494'	5760'	5965'
4920'	5206'	5410'	5499'		
			5510'	5867'	
				5871'	

BD W 180 BBLS KCL WTR + 48 BS'S  
 IPF 1900 MCF 16/64" FCP 1300 PSI  
 FRAC'D W/ 160,000 # 20/40 SD + 80,000 GAL GEL  
 IPF (8/1/82) 2350 MCF  
 16/64" FCP 1575#

STATE OF UTAH  
DIVISION OF OIL, GAS AND MINING

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.

Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

5. Lease Designation and Serial Number:

ML-22649

6. If Indian, Allottee or Tribe Name:

N/A

7. Unit Agreement Name:

Natural Buttes Unit

1. Type of Well:

OIL ☐GAS ☒

OTHER:

8. Well Name and Number:

NBU #51J

2. Name of Operator:

Coastal Oil &amp; Gas Corporation

9. API Well Number:

43-047-31234

3. Address and Telephone Number:

P.O. Box 749, Denver, CO 80201-0749

(303) 573-4476

10. Field and Pool, or Wildcat:

Natural Buttes

4. Location of Well

Footages:

1897' FSL &amp; 2134' FEL

County: Uintah

QQ, Sec., T., R., M.:

NW/SE Section 32, T9S-R22E

State: Utah

## 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

## NOTICE OF INTENT

(Submit In Duplicate)

- |  |   |
|--|---|
| <input type="checkbox"/> Abandon                   | <input type="checkbox"/> New Construction     |
| <input type="checkbox"/> Repair Casing             | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans           | <input type="checkbox"/> Recompletion         |
| <input type="checkbox"/> Convert to Injection      | <input type="checkbox"/> Perforate            |
| <input type="checkbox"/> Fracture Treat or Acidize | <input type="checkbox"/> Vent or Flare        |
| <input type="checkbox"/> Multiple Completion       | <input type="checkbox"/> Water Shut-Off       |
| <input type="checkbox"/> Other _____               |   |

Approximate date work will start \_\_\_\_\_

## SUBSEQUENT REPORT

(Submit Original Form Only)

- |   |   |
|---|---|
| <input type="checkbox"/> Abandon *                                    | <input type="checkbox"/> New Construction     |
| <input type="checkbox"/> Repair Casing                                | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans                              | <input type="checkbox"/> Perforate            |
| <input type="checkbox"/> Convert to Injection                         | <input type="checkbox"/> Vent or Flare        |
| <input type="checkbox"/> Fracture Treat or Acidize                    | <input type="checkbox"/> Water Shut-Off       |
| <input checked="" type="checkbox"/> Other CO, lwr tbg and install PLE |   |


Date of work completion 08/23/97

Report results of bMultiple CompletionsÇ and bRecompletionsÇ to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

\* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please see the attached chronological well history for work performed on the subject well.



13.

Name &amp; Signature:

Bonnie Carson

Title:

Senior Environmental Analyst

Date:

02/25/98

(This space for State use only)

NO tax credit 8/98

**THE COASTAL CORPORATION  
PRODUCTION REPORT**

**CHRONOLOGICAL HISTORY**

NBU 51J  
NATURAL BUTTES FIELD  
Uintah County, UT

Page 1

**CLEAN-OUT SAND**

- 8/10/97 **Prep to CO well.**  
MIRU. Blw dwn tbg & csg. ND tree, bolts tight, NU BOP's. Left well selling on backsd. ~~SDFN~~ **CWC: \$3,219**
- 8/11/97 **Prep to TIH & acdz.**  
SITP 125#, SICP 225#. Blw dwn tbg & csg. Pmp 10 BBLS 2% KCl dwn tbg. TIH w/35 jts, tagged @ 5920'. PU pwr swivel, hook up. Blw dwn line. RU. Brk circ & wash sd f/ 5920' - 6009'. Circ cln. LD pwr swivel. POOH to top perfs. SDFN.  
**CWC: \$9,832**
- 8/12/97 **Prep to swb.**  
SITP & SICP 250#. Pmp 10 BBLS 2% KCl wtr & kill tbg. TIH to 6009', no fill. LD 2 jts, brouch tbg. RU BJ. PT lines to 1000# & pmp 20 BBLS 2% KCl ahead 1050 gals 15% HCl w/add. RD BJ. LD tbg. ND BOPS, NU tree. RDMO. MIRU SU. Swb 40 BF/12 runs, IFL 4800', FFL 4200'. SDFN.  
**CWC: \$18,662**
- 08/13/97 **SI f/PBU.**  
SITP 290 psi, SICP 275 psi. IFL 4500'. Swb 20 BF/8 runs. Well started to flw, PLE came up. PLE w/n come again. RDMO. FTP 0 psi, FCP 275 psi, FFL 4800'.  
**CWC: \$19,608**
- 08/14/97 Will put on prod tomorrow AM.
- 8/15/97 Flwg 157 MCFD & 5 BWPD, 30/64" chk, FTP 127#, CP 180#, LP 120#.
- 8/16/97 Flwg 187 MCFD & 5 BWPD, 30/64" chk, FTP 126#, CP 191#, LP 123#.
- 8/17/97 Flwg 193 MCFD & 5 BWPD, 30/64" chk, FTP 109#, CP 184#, LP 102#.
- 8/18/97 Flwg 193 MCFD & 5 BWPD, 30/64" chk, FTP 120#, CP 189#, LP 111#.
- 8/19/97 Flwg 242 MCFD & 2 BWPD, 30/64" chk, FTP 136#, CP 243#, LP 112#.
- 8/20/97 Flwg 266 MCFD & 1 BWPD, 30/64" chk, FTP 245#, CP 258#, LP 99#.
- 8/21/97 Flwg 274 MCFD & 1 BWPD, 30/64" chk, FTP 222#, CP 240#, LP 124#.
- 8/22/97 Flwg 304 MCFD & 1 BWPD, 30/64" chk, FTP 159#, CP 224#, LP 126#.
- 8/23/97 Flwg 343 MCFD & 1 BWPD, 30/64" chk, FTP 147#, CP 212#, LP 126#. **FINAL REPORT.**

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER \_\_\_\_\_

2. NAME OF OPERATOR:  
El Paso Production Oil & Gas Company

3. ADDRESS OF OPERATOR: 58 South 1200 East CITY Vernal STATE Utah ZIP 84078 PHONE NUMBER: 435-789-4433

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

5. LEASE DESIGNATION AND SERIAL NUMBER:

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:

Exhibit "A"

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:

COUNTY:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☐ NOTICE OF INTENT  
(Submit in Duplicate)

Approximate date work will start:

☐ SUBSEQUENT REPORT  
(Submit Original Form Only)

Date of work completion:

☐ ACIDIZE

☐ ALTER CASING

☐ CASING REPAIR

☐ CHANGE TO PREVIOUS PLANS

☐ CHANGE TUBING

☐ CHANGE WELL NAME

☐ CHANGE WELL STATUS

☐ COMMINGLE PRODUCING FORMATIONS

☐ CONVERT WELL TYPE

☐ DEEPEN

☐ FRACTURE TREAT

☐ NEW CONSTRUCTION

☐ OPERATOR CHANGE

☐ PLUG AND ABANDON

☐ PLUG BACK

☐ PRODUCTION (START/RESUME)

☐ RECLAMATION OF WELL SITE

☐ RECOMPLETE - DIFFERENT FORMATION

☐ REPERFORATE CURRENT FORMATION

☐ SIDETRACK TO REPAIR WELL

☐ TEMPORARILY ABANDON

☐ TUBING REPAIR

☐ VENT OR FLARE

☐ WATER DISPOSAL

☐ WATER SHUT-OFF

☒ OTHER: Name Change

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As a result of the merger between The Coastal Corporation and a wholly owned subsidiary of El Paso Energy Corporation, the name of Coastal Oil & Gas Corporation has been changed to El Paso Production Oil & Gas Company effective March 9, 2001.

See Exhibit "A"

Bond # 400JU0708

Coastal Oil & Gas Corporation

NAME (PLEASE PRINT) John T. Elzner

TITLE Vice President

SIGNATURE

DATE 06-15-01

El Paso Production Oil & Gas Company

NAME (PLEASE PRINT) John T. Elzner

TITLE Vice President

SIGNATURE

DATE 06-15-01

(This space for State use only)

RECEIVED

JUN 19 2001

DIVISION OF  
OIL, GAS AND MINING

State of Delaware  
*Office of the Secretary of State*

---

PAGE 1

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.

RECEIVED

JUN 14 2001

DIVISION OF  
OIL, GAS AND MINING



*Harriet Smith Windsor*  
Harriet Smith Windsor, Secretary of State

0610204 8100

AUTHENTICATION: 1061007

010162788

DATE: 04-03-01

## CERTIFICATE OF AMENDMENT

OF

## CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:

"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL &amp; GAS CORPORATION



David L. Siddall  
Vice President

Attest:



Margaret E. Roark, Assistant Secretary

RECEIVED

STATE OF DELAWARE  
SECRETARY OF STATE  
DIVISION OF CORPORATIONS  
FILED 11:00 AM 03/09/2001  
010118394 - 0610204

JUN 19 2001

DIVISION OF  
OIL, GAS AND MINING



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

**RECEIVED**

JUL 12 2001

**DIVISION OF  
OIL, GAS AND MINING**

In Reply Refer To:

3106

UTSL-065841

(UT-924)

JUL 10 2001

### NOTICE

El Paso Production Oil & Gas Company : Oil and Gas  
Nine Greenway Plaza :  
Houston TX 77046-0095 :

#### Name Change Recognized


Acceptable evidence has been received in this office concerning the name change of Coastal Oil & Gas Corporation into El Paso Production Oil & Gas Company with El Paso Production Oil & Gas Company being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Coastal Oil & Gas Corporation to El Paso Production Oil & Gas Company. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.



Opolonia L. Abeyta  
Acting Chief, Branch of  
Minerals Adjudication

Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office  
Vernal Field Office  
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217  
~~State of Utah, DOGM~~, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114  
Teresa Thompson (UT-922)  
Joe Incardine (UT-921)



### Exhibit of Leases

UTUSL-065841A	UTU-47172	UTU-74415	UTU-53860
UTU-28652	UTU-50687	UTU-74416	UTU-66401
UTU-37943	UTU-52298	UTU-75091	UTU-67868
UTU-44089	UTU-0109054	UTU-75096	UTU-65389
UTU-44090A	UTU-0143511	UTU-75097	UTU-77084
UTU-61263	UTU-0143512	UTU-75673	UTU-61430
UTU-00343	UTU-38401	UTU-76259	UTU-72633
UTU-02651	UTU-38411	UTU-76260	UTU-72650
UTU-02651B	UTU-38418	UTU-76261	UTU-49692
UTU-0142175	UTU-38419	UTU-76493	UTU-57894
UTU-70235	UTU-38420	UTU-76495	UTU-76829
UTU-70406	UTU-38421	UTU-76503	UTU-76830
UTU-74954	UTU-38423	UTU-78228	UTU-76831
UTU-75132	UTU-38424	UTU-78714	
UTU-75699	UTU-38425	UTU-78727	
UTU-76242	UTU-38426	UTU-78734	
UTU-78032	UTU-38427	UTU-79012	
UTU-4377	UTU-38428	UTU-79011	
UTU-4378	UTU-53861	UTU-71694	
UTU-7386	UTU-58097	UTU-00576	
UTU-8344A	UTU-64376	UTU-00647	
UTU-8345	UTU-65222	UTU-01470D	
UTU-8347	UTU-65223	UTU-0136484	
UTU-8621	UTU-66746	UTU-8344	
UTU-14646	UTU-67178	UTU-8346	
UTU-15855	UTU-67549	UTU-8648	
UTU-25880	UTU-72028	UTU-28212	
UTU-28213	UTU-72632	UTU-30289	
UTU-29535	UTU-73009	UTU-31260	
UTU-29797	UTU-73010	UTU-33433	
UTU-31736	UTU-73013	UTU-34711	
UTU-34350	UTU-73175	UTU-46699	
UTU-34705	UTU-73434	UTU-78852	
UTU-37116	UTU-73435	UTU-78853	
UTU-37355	UTU-73444	UTU-78854	
UTU-37573	UTU-73450	UTU-075939	
UTU-38261	UTU-73900	UTU-0149767	
UTU-39223	UTU-74409	UTU-2078	
UTU-40729	UTU-74410	UTU-44426	
UTU-40736	UTU-74413	UTU-49530	
UTU-42469	UTU-74414	UTU-51026	

**OPERATOR CHANGE WORKSHEET****ROUTING**

1. GLH		4-KAS
2. CDWV		5-LP
3. JLT		6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

**X**      **Merger**The operator of the well(s) listed below has changed, effective: **3-09-2001**

<b>FROM: (Old Operator):</b>
COASTAL OIL & GAS CORPORATION
Address: 9 GREENWAY PLAZA STE 2721
HOUSTON, TX 77046-0995
Phone: 1-(713)-418-4635
Account N0230

<b>TO: ( New Operator):</b>
EL PASO PRODUCTION OIL & GAS COMPANY
Address: 9 GREENWAY PLAZA STE 2721 RM 2975B
HOUSTON, TX 77046-0995
Phone: 1-(832)-676-4721
Account N1845

**CA No.****Unit: NATURAL BUTTES****WELL(S)**

NAME	API NO	ENTITY NO	SEC TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
NBU CIGE 24-29-9-22	43-047-30493	2900	29-09S-22E	STATE	GW	P
CIGE 145-29-9-22	43-047-31993	2900	29-09S-22E	STATE	GW	P
CIGE 219-29-9-22	43-047-32864	2900	29-09S-22E	STATE	GW	P
NBU 341-29E	43-047-33055	2900	29-09S-22E	STATE	GW	P
CIGE 240	43-047-33207	2900	29-09S-22E	STATE	GW	P
NBU 137	43-047-31939	2900	30-09S-22E	STATE	GW	P
NBU CIGE 5-31-9-22	43-047-30335	2900	31-09S-22E	STATE	GW	P
NBU 50	43-047-30835	2900	31-09S-22E	STATE	GW	P
NBU CIGE 51D-31-9-22	43-047-30889	2900	31-09S-22E	STATE	GW	P
NBU 41J	43-047-31224	2900	31-09S-22E	STATE	GW	P
CIGE 97D-31-9-22	43-047-31729	2900	31-09S-22E	STATE	GW	P
NBU 155	43-047-32004	2900	31-09S-22E	STATE	GW	P
CIGE 148-31-9-22	43-047-32024	2900	31-09S-22E	STATE	GW	P
NBU 280	43-047-32865	2900	31-09S-22E	STATE	GW	P
CIGE 220-31-9-22	43-047-32884	2900	31-09S-22E	STATE	GW	P
NBU 326	43-047-33204	2900	31-09S-22E	STATE	GW	P
CIGE 3-32-9-22	43-047-30320	2900	32-09S-22E	STATE	GW	P
NBU CIGE 36D-32-9-22	43-047-30833	2900	32-09S-22E	STATE	GW	P
NBU 54	43-047-30890	2900	32-09S-22E	STATE	GW	P
<b>NBU 51J</b>	43-047-31234	2900	32-09S-22E	STATE	GW	P

**OPERATOR CHANGES DOCUMENTATION**

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/19/2001
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/19/2001
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 06/21/2001
4. Is the new operator registered in the State of Utah: YES Business Number: 608186-0143

5. If **NO**, the operator was contacted contacted on: N/A
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 07/10/2001
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: 07/10/2001
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

---

**DATA ENTRY:**

1. Changes entered in the **Oil and Gas Database** on: 07/19/2001
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 07/19/2001
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

---

**STATE BOND VERIFICATION:**

1. State well(s) covered by Bond No.: 400JU0705

---

**FEDERAL BOND VERIFICATION:**

1. Federal well(s) covered by Bond No.: N/A

---

**FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond No: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A  
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: \_\_\_\_\_

---

**FILMING:**

1. All attachments to this form have been **MICROFILMED** on: \_\_\_\_\_

---

**FILING:**

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: \_\_\_\_\_

---

**COMMENTS: Master list of all wells involved in operator change from Coastal Oil & Gas Corporation to El Paso Production Oil and Gas Company shall be retained in the "Operator Change File".**

---

---

---

---

---

JAN. 17. 2003 3:34PM

WESTPORT

NO. 173 P. 2

**WESTPORT OIL AND GAS COMPANY, L.P.**

410 Seventeenth Street #2300 Denver Colorado 80202-4436  
Telephone: 303 573 5404 Fax: 303 573 5609

**February 1, 2002**

**Department of the Interior  
Bureau of Land Management  
2850 Youngfield Street  
Lakewood, CO 80215-7093  
Attention: Ms. Martha Maxwell**

**RE: BLM Bond CO-1203  
BLM Nationwide Bond 158626364  
Surety - Continental Casualty Company  
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.  
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.  
Assumption Rider - Westport Oil and Gas Company, L.P.**

**Dear Ms. Maxwell:**

**Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:**

**Two (2) Assumption Riders, fully executed originals.  
Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.  
Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.  
List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.**

**Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.**

**I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.**

**Sincerely,  
Westport Oil and Gas Company, L.P.**

**Debby J. Black  
Engineer Technician**

**Encl;**



United States Department of the Interior **RECEIVED**

BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

FEB 22 2002

DIVISION OF  
OIL, GAS AND MINING

In Reply Refer To:

3106

UTU-25566 et al  
(UT-924)

FEB 21 2002

NOTICE

Westport Oil and Gas Company L.P. : Oil and Gas  
410 Seventeenth Street, #2300 :  
Denver Colorado 80215-7093 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Westport Oil and Gas Company, Inc. into Westport Oil and Gas Company, L.P. with Westport Oil and Gas Company, L.P. being the surviving entity.


For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405  
UTU-20895  
UTU-25566  
UTU-43156  
UTU-49518  
UTU-49519  
UTU-49522  
UTU-49523



Robert Lopez  
Chief, Branch of  
Minerals Adjudication

cc: Moab Field Office  
Vernal Field Office  
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217  
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114  
Teresa Thompson (UT-922)  
Joe Incardine (UT-921)

# memorandum

Branch of Real Estate Services  
Uintah & Ouray Agency

Date: 5 December, 2002

Reply to  
Attn of: Supervisory Petroleum Engineer

Subject: Modification of Utah Division of Oil, Gas and Mining Regulations

To: Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.


We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate your concern, and hope that these comments are timely enough for consideration in the revision process.

CC: Minerals & Mining Section of RES  
Ute Energy & Mineral Resources Department: Executive Director  
chrono





# United States Department of the Interior

## BUREAU OF INDIAN AFFAIRS

Washington, D.C. 20240

FEB 10 2003

IN REPLY REFER TO:  
Real Estate Services

Carroll A. Wilson  
Principal Landman  
Westport Oil and Gas Company, L.P.  
1368 South 1200 East  
Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

Director, Office of Trust Responsibilities

ACTING

Enclosure





# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155

IN REPLY REFER TO  
UT-922

February 27, 2003

Westport Oil and Gas Company, L.P.  
Attn: Gary D. Williamson  
1670 Broadway, Suite 2800  
Denver, Colorado 80202

Re: Natural Buttes Unit  
Uintah County, Utah

Gentlemen:

On February 27, 2003, we received an indenture dated December 17, 2002, whereby El Paso Production Oil & Gas Company resigned as Unit Operator and Westport Oil and Gas Company, L.P., was designated as Successor Unit Operator for the Natural Buttes Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 27, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Natural Buttes Unit Agreement.

Your nationwide (Colorado) oil and gas bond No. 1203 will be used to cover all operations within the Natural Buttes Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks  
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)  
SITLA  
Division of Oil, Gas & Mining  
Minerals Adjudication Group  
File - Natural Buttes Unit (w/enclosure)  
Agr. Sec. Chron  
Fluid Chron

UT922:TAThompson:tt:02/27/2003

RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:

Exhibit "A"

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:

1. TYPE OF WELL

OIL WELL ☐

GAS WELL ☐

OTHER

2. NAME OF OPERATOR:

El Paso Production Oil & Gas Company

3. ADDRESS OF OPERATOR:

9 Greenway Plaza

City: Houston

STATE: TX

ZIP: 77064-0995

PHONE NUMBER:

(832) 676-5933

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

COUNTY:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON	
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR	
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE	
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL	
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF	
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____	
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION		

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.

BOND # \_\_\_\_\_

State Surety Bond No. RLB0005236

Fee Bond No. RLB0005238

EL PASO PRODUCTION OIL & GAS COMPANY

By: \_\_\_\_\_

Jon R. Nelsen, Attorney-in-Fact

RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

WESTPORT OIL AND GAS COMPANY, L.P.

David R. Dix

NAME (PLEASE PRINT)

TITLE Agent and Attorney-in-Fact

SIGNATURE \_\_\_\_\_

DATE

12/17/02

(This space for State use only)

Form 3160-5  
(August 1999)UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

5. Lease Serial No.

SEE ATTACHED EXHIBIT "A"

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

SEE ATTACHED EXHIBIT "A"

9. API Well No.

SEE ATTACHED EXHIBIT "A"

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL &amp; GAS COMPANY, L.P.

3a. Address

P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED EXHIBIT "A"

## 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input checked="" type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other
			SUCCESSOR OF OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration then. If the proposal is to deepen directionally or recompletes horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed when testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED

MAR 04 2003

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

CHERYL CAMERON

Title

OPERATIONS

Date

March 4, 2003

DIV. OF OIL, GAS &amp; MINING

## THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

## OPERATOR CHANGE WORKSHEET

## ROUTING

1. GLH
2. CDW ✓
3. FILE

## X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: **12-17-02**

<b>FROM: (Old Operator):</b>	<b>TO: (New Operator):</b>
EL PASO PRODUCTION OIL & GAS COMPANY	WESTPORT OIL & GAS COMPANY LP
Address: 9 GREENWAY PLAZA	Address: P O BOX 1148
HOUSTON, TX 77064-0995	VERNAL, UT 84078
Phone: 1-(832)-676-5933	Phone: 1-(435)-781-7023
Account No. N1845	Account No. N2115

CA No.

Unit:

NATURAL BUTTES

## WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
NBU 41J	31-09S-22E	43-047-31224	2900	STATE	GW	P
CIGE 97D-31-9-22	31-09S-22E	43-047-31729	2900	STATE	GW	P
NBU 155	31-09S-22E	43-047-32004	2900	STATE	GW	P
CIGE 148-31-9-22	31-09S-22E	43-047-32024	2900	STATE	GW	P
NBU 280	31-09S-22E	43-047-32865	2900	STATE	GW	P
CIGE 220-31-9-22	31-09S-22E	43-047-32884	2900	STATE	GW	P
NBU 326	31-09S-22E	43-047-33204	2900	STATE	GW	P
NBU 354	31-09S-22E	43-047-33231	2900	FEDERAL	GW	P
NBU 160	31-09S-22E	43-047-32006	2900	STATE	GW	PA
CIGE 241-32-9-22	32-09S-22E	43-047-33208	2900	STATE	GW	P
NBU 404	32-09S-22E	43-047-34375	2900	STATE	GW	P
NBU 281	32-09S-22E	43-047-32866	2900	STATE	GW	P
NBU 282	32-09S-22E	43-047-32867	2900	STATE	GW	P
CIGE 190-32-9-22	32-09S-22E	43-047-32912	2900	STATE	GW	P
NBU 157	32-09S-22E	43-047-32007	2900	STATE	GW	P
CIGE 96D-32-9-22	32-09S-22E	43-047-31730	2900	STATE	GW	P
NBU 51J	32-09S-22E	43-047-31234	2900	STATE	GW	P
CIGE 106D-32-9-22	32-09S-22E	43-047-31746	2900	STATE	GW	P
NBU CIGE 36D-32-9-22	32-09S-22E	43-047-30833	2900	STATE	GW	P
NBU 54N	32-09S-22E	43-047-30890	2900	STATE	GW	P

## OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 02/28/2003
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 03/04/2003
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 03/06/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
5. If **NO**, the operator was contacted on: \_\_\_\_\_

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM-12/31/2003 BIA-12/5/02

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 02/27/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

**DATA ENTRY:**

1. Changes entered in the Oil and Gas Database on: 03/18/2003
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 03/18/2003
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

**STATE WELL(S) BOND VERIFICATION:**

1. State well(s) covered by Bond Number: RLB 0005236

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: 158626364

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: RLB 0005239

**FEE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number RLB 0005238
2. The FORMER operator has requested a release of liability from their bond on: N/A  
The Division sent response by letter on: N/A

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

**COMMENTS:**

---

---

---

---

---

---

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

## SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL &amp; GAS COMPANY, L.P.

3a. Address

P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Multiple Wells - see attached

5. Lease Serial No.

Multiple Wells - see attached

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

891008900A

8. Well Name and No.

Multiple Wells - see attached

9. API Well No.

Multiple Wells - see attached

10. Field and Pool, or Exploratory Area

Natural Buttes Unit

11. County or Parish, State

Uintah County, UT

## 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

## TYPE OF SUBMISSION

## TYPE OF ACTION

☒ Notice of Intent☐ Subsequent Report☐ Final Abandonment Notice☐ Acidize☐ Alter Casing☐ Casing Repair☐ Change Plans☐ Convert to Injection☐ Deepen☐ Fracture Treat☐ New Construction☐ Plug and Abandon☐ Plug Back☐ Production (Start/Resume)☐ Reclamation☐ Recomplete☐ Temporarily Abandon☐ Water Disposal☐ Water Shut-Off☐ Well Integrity☐ Other

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Westport Oil & Gas requests a variance to Onshore Order No. 4, Part III.C.a. requiring each sales tank be equipped with a pressure-vacuum thief hatch and/or vent line valve. The variance is requested as an economic analysis shows the value of the shrunk condensate will not payout the incremental cost of purchasing and maintaining the valve resulting in a loss of value over the producing life of the well.

The volume lost to shrinkage by dropping the tank pressure from 6 ozs. to 0 psig is shown to be 0.3% of the tank volume. This was determined by lab analysis of a representative sample from the field. The sample shrunk from 98.82% of original volume to 98.52% when the pressure was dropped. The average NBU well produces approximately 6 bbls condensate per month. The resulting shrinkage would amount to 0.56 bbls per month lost volume due to shrinkage. The value of the shrunk and lost condensate does not recoup or payout the cost of installing and maintaining the valves and other devices that hold the positive tank pressure. An economic run based on the loss and costs is attached. Westport Oil & gas requests approval of this variance in order to increase the value of the well to the operator and the mineral royalty owners.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

J.T. Conley

Signature

COPY SENT TO OPERATOR

Date:

Initials:

Title

Date:

Date

Operations Manager

9-2-2003

SEP 10 2003

DIV. OF OIL, GAS &amp; MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Accepted by the  
Utah Division of  
Oil, Gas and Mining

Date

Federal Approval of This  
Action is Necessary

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Date:

9/16/03

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make, to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

# Westport Oil & Gas, L.P.

## Project Economics Worksheet

Instructions: Fill in blue boxes with before and after project data. The evaluation results are shown below and graphed automatically at the bottom of the page. This sheet is protected to prevent accidental alteration of the formulas. See JTC for changes. OPX entered as annual costs and/or as unit OPX costs for \$/BF and \$/MCF

Project Name: **Condensate Shrinkage Economics**

Is this job a well pull or production rig job ??? **N** (Y or N)

	BEFORE \$/Year	AFTER \$/Year	DIFFERENCE \$/Year
Gross Oil Revenue	\$1,088	\$1,099	\$11
Gross Gas Revenue	\$0	\$0	\$0
NGL Revenue	\$0	\$0	\$0
PULLING UNIT SERVICE			\$0
WIRELINE SERVICE			\$0
SUBSURF EQUIP REPAIRS			\$0
COMPANY LABOR			\$0
CONTRACT LABOR	\$0	\$200	\$200
CONTR SERVICE			\$0
LEASE FUEL GAS	\$0	\$0	\$0
UTILITIES - ELECTRICITY	\$0	\$0	\$0
CHEMICAL TREATING			\$0
MATERIAL & SUPPLY	\$0	\$150	\$150
WATER & HAULING			\$0
ADMINISTRATIVE COSTS			\$0
GAS PLANT PROCESSING			\$0
<b>Totals</b>	<b>\$0</b>	<b>\$350</b>	<b>\$350</b>

Increased OPX Per Year

### Investment Breakdown:

	Cap/Exp Code	Cost, \$
Capital \$	820/830/840	\$1,200
Expense \$	830/860	\$0
<b>Total \$</b>		<b>\$1,200</b>

Oil Price	\$ 23.00	\$/BO
Gas Price	\$ 3.10	\$/MCF
Electric Cost	\$ -	\$/ HP / day
OPX/BF	\$ 2.00	\$/BF
OPX/MCF	\$ 0.62	\$/MCF

### Production & OPX Detail:

	Before		After		Difference
Oil Production	0.192	BOPD	0.194	BOPD	0.002
Gas Production	0	MCFPD	0	MCFPD	0
Wtr Production	0	BWPD	0	BWPD	0
Horse Power		HP		HP	0
Fuel Gas Burned		MCFPD		MCFPD	0

### Project Life:

Life = **20.0** Years  
(Life no longer than 20 years)

### Internal Rate of Return:

After Tax **IROR = #DIV/0!**

### AT Cum Cashflow:

Operating Cashflow = **(\$2,917)** (Discounted @ 10%)

### Payout Calculation:

Payout =  $\frac{\text{Total Investment}}{\text{Sum(OPX + Incremental Revenue)}}$  = 1

Payout occurs when total AT cashflow equals investment  
See graph below, note years when cashflow reaches zero

Payout = **NEVER** Years or **#VALUE!** Days


### Gross Reserves:

Oil Reserves = **6** BO  
Gas Reserves = **0** MCF  
Gas Equiv Reserves = **38** MCFE

### Notes/Assumptions:

**An average NBV well produces 0.192 Bopd with no tank pressure. The production is increased to 0.194 Bopd if 4 ozs of pressure are placed on the tank. The increased production does not payout the valve cost or the estimated annual maintenance costs.**

Project: Condensate Shrinkage Economics



# Westport Oil and Gas, Inc.

## NBU/Ouray Field

RFL 2003-022

### COMPARISON OF FLASH BACK PRESSURES

Calculated by Characterized Equation-of-State

Flash Conditions		Gas/Oil Ratio ( scf/STbbl ) (A)	Specific Gravity of Flashed Gas ( Air=1.000 )	Separator Volume Factor (B)	Separator Volume Percent (C)
psig	°F				

#### Calculated at Laboratory Flash Conditions

80	70			1.019	
0	122	30.4	0.993	1.033	101.37%
0	60	0.0	—	1.000	98.14%

#### Calculated Flash with Backpressure using Tuned EOS

80	70			1.015	
6.0 oz	65	24.6	0.777	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
4.0 oz	65	24.7	0.778	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
2.0 oz	65	24.7	0.779	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
0	65	24.8	0.780	1.003	98.82%
0	60	0.0	—	1.000	98.52%

(A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

(B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

(C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water



WELL	LEGALS	STFLEASENO	CANUMBER	APINO
CIGE 258	19-9-21 NWSE	UTU0591	891008900A	430473466700S1 ✓
CIGE 259	6-10-21 SWNE	UTU01791	891008900A	430473436700S1
CIGE 260	6-10-21 NENE	UTU01791	891008900A	430473436800S1
CIGE 261	7-10-21 NWSE	UTU02270A	891008900A	430473436900S1
CIGE 262	7-10-21 SENE	UTU01791	891008900A	430473437000S1
CIGE 263	19-10-22 SESE	ML20714	891008900A	430473422600S1
CIGE 264	19-10-21 SWSW	ML-22792	891008900A	430473422700S1
CIGE 265	15-9-20 SENE	UTU0144868	891008900A	430473478100S1
CIGE 266	33-9-22 NWSW	UTU01191A	891008900A	430473438600S1
CIGE 268	8-10-22 NWSE	UTU01196E	891008900A	430473441200S1
CIGE 271	32-9-22 SWNE	ML22649	891008900A	430473479500S1
CIGE 274	13-9-21 NENW	UTU01193	891008900A	430473477800S1
CIGE 275	21-10-21 NENW	UTU02278	891008900A	430473479900S1
CIGE 276	21-10-21 SWNW	UTU02278	891008900A	430473441700S1
CIGE 277	21-10-21 NWNW	UTU02278	891008900A	430473480000S1
CIGE 278	14-10-21 NESE	UTU01393C	891008900A	430473444500S1 ✓
CIGE 279	14-10-21 SESE	UTU01393C	891008900A	430473447900S1 ✓
CIGE 280	5-10-22 SWNW	UTU01195	891008900A	430473444300S1 ✓
CIGE 281	5-10-22 NWSW	UTU01191A	891008900A	430473444400S1 ✓
CIGE 282	7-10-22 NENE	ML23609	891008900A	430473443600S1 ✓
CIGE 283	35-9-21 SESE	ML22582	891008900A	430473479000S1 ✓
CIGE 284	1-10-21 SWNW	ML23612	891008900A	430473479200S1
CIGE 285	2-10-21 NENE	ML22652	891008900A	430473479300S1
CIGE 286	9-10-21 SENE	U01416	891008900A	430473479700S1
CIGE 287	9-10-21 NWSE	U01416	891008900A	430473479800S1
CIGE 288	21-9-21 NWSE	UTU0576	891008900A	430473484400S1
CIGE 289	7-9-21 NWSE	UTU0575B	891008900A	430473486500S1 ✓
CIGE 290	10-10-21 NESE	UTU0149079	891008900A	430473486900S1
CIGE 291	10-10-21 NWSE	UTU0149079	891008900A	430473486800S1
CIGE 292	8-10-22 SESE	UTU01196E	891008900A	430473487100S1
CIGE 293	8-10-22 SWSE	UTU01196E	891008900A	430473483800S1
CIGE 294	8-10-22 NENW	UTU466	891008900A	430473487000S1
CIGE 295	14-10-22 NENW	UTU01197A-ST	891008900A	430473482000S1
CIGE 296	14-10-22 NWNW	U01197A-ST	891008900A	430473485800S1 ✓
CIGE 297	14-10-22 SWNW	U01197A-ST	891008900A	430473485700S1 ✓
CIGE 298	9-10-22 SESW	UTU01196B	891008900A	430473485500S1
CIGE 299	14-10-22 NWSW	UTU468	891008900A	430473485900S1
NBU 004	23-9-21 NESE	UTU0149075	891008900A	430473005600S1
NBU 006	24-9-21 NWSE	UTU0149076	891008900A	430473008300S1
NBU 015	26-9-21 SESW	U99070-01	891008900A	430473020400S1
NBU 016	34-9-22 SWSE	UTU0149077	891008900A	430473020900S1
NBU 018	10-10-22 SWNE	UTU025187	891008900A	430473022100S1
NBU 020	28-9-21 NESW	U05676	891008900A	430473025000S1
NBU 022	18-10-22 SENE	ML22973	891008900A	430473025600S1
NBU 023	19-9-22 SWNE	UTU0284	891008900A	430473086800S1
NBU 024N2	12-10-22 SESE	U01197A	891008900A	430473053500S1
NBU 026	27-9-21 CSE	U01194A	891008900A	430473025200S1 ✓
NBU 027	33-9-21 NESW	U015630	891008900A	430473030400S1
NBU 027A	33-9-21 SWNE	U015630	891008900A	430473039800S1
NBU 028	13-10-21 NWSE	ML23608	891008900A	430473030500S1
NBU 029	11-10-21 NESW	UTU0149080	891008900A	430473030200S1
NBU 030	16-10-22 SWSE	ML22653	891008900A	430473030600S1
NBU 031	11-10-22 SESW	U01197A	891008900A	430473030700S1 ✓
NBU 032Y	20-9-22 NWNW	UTU0284	891008900A	430473051400S1
NBU 033Y	18-10-21 NWNW	UTU02270A	891008900A	430473050400S1
NBU 035Y	29-9-21 NWSE	UTU0581	891008900A	430473050300S1
NBU 036Y	30-9-21 SENE	UTU0581	891008900A	430473060300S1
NBU 037XP	3-10-22 SESE	UTU01191A	891008900A	430473072400S1
NBU 038N2	13-10-22 NWSW	U06512	891008900A	430473053600S1
NBU 039	29-10-22 SWSW	UTU0132568A	891008900A	430473086100S1
NBU 041J	31-9-22 NWSW	ML23607	891008900A	430473122400S1 ✓
NBU 042	30-9-22 SENW	U463	891008900A	430473173500S1
NBU 043	26-10-20 NWSE	UTU4476	891008900A	430473084800S1
NBU 045N2	12-9-20 NWSW	UTU0144868B	891008900A	430473087500S1
NBU 046	4-10-22 NWSE	UTU01191	891008900A	430473051300S1
NBU 047N2	30-10-22 SESW	UTU0132568A	891008900A	430473053400S1
NBU 048N3	18-9-22 SWNW	UTU0359	891008900A	430473053800S1
NBU 049	30-9-22 NWNE	U463	891008900A	430473124900S1
NBU 050N2	31-9-22 NWNW	ML23607	891008900A	430473083500S1 ✓
NBU 051J	32-9-22 NWSE	ML22649	891008900A	430473123400S1 ✓
NBU 052J	30-9-22 NWSW	U463	891008900A	430473085000S1
NBU 053	9-9-21 SENW	UTU0149767	891008900A	430473083700S1
NBU 054	32-9-22 NESW	ML22649	891008900A	430473089000S1 ✓
NBU 056N2	28-9-21 NESE	U05676	891008900A	430473088400S1
NBU 057N3	27-9-21 NENW	U01194	891008900A	430473086700S1 ✓

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET**

ROUTING	
1. DJJ	
2. CDW	

**X Change of Operator (Well Sold)**

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

**1/6/2006**

**FROM: (Old Operator):**

N2115-Westport Oil & Gas Co., LP  
 1368 South 1200 East  
 Vernal, UT 84078

Phone: 1-(435) 781-7024

**TO: ( New Operator):**

N2995-Kerr-McGee Oil & Gas Onshore, LP  
 1368 South 1200 East  
 Vernal, UT 84078

Phone: 1-(435) 781-7024

**CA No.**

**Unit:**

**NATURAL BUTTES UNIT**

**WELL NAME**

**SEC TWN RNG**

**API NO**

**ENTITY**

**NO**

**LEASE**

**TYPE**

**WELL**

**TYPE**

**WELL**

**STATUS**

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 5/10/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 5/10/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 3/7/2006
- 4a. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- 4b. If **NO**, the operator was contacted on: \_\_\_\_\_
- 5a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- 5b. Inspections of LA PA state/fee well sites complete on: n/a 3 LA wells & all PA wells transferred
- 5c. Reports current for Production/Disposition & Sundries on: ok
- 6. Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 3/27/2006 BIA not yet
- 7. Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: 3/27/2006
- 8. Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- 9. Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: \_\_\_\_\_

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 5/15/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 5/15/2006
- Bond information entered in RBDMS on: 5/15/2006
- Fee/State wells attached to bond in RBDMS on: 5/16/2006
- Injection Projects to new operator in RBDMS on: \_\_\_\_\_
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a Name Change Only

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: CO1203
- Indian well(s) covered by Bond Number: RLB0005239
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB0005236
- a. The **FORMER** operator has requested a release of liability from their bond on: n/a rider added KMG  
The Division sent response by letter on: \_\_\_\_\_

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 5/16/2006

**COMMENTS:**

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

KERR-McGEE OIL & GAS ONSHORE LP

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006.

KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

RECEIVED

MAY 10 2006

DIV. OF OIL, GAS & MINING

BLM BOND = C01203  
BIA BOND = RLB0005237

APPROVED 5/16/06

Earlene Russell  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

RANDY BAYNE

Title

DRILLING MANAGER

Signature

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED  
OMB No. 1004-0135  
Expires November 30, 2000

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

EFFECTIVE JANUARY 6, 2006, WESTPORT OIL & GAS COMPANY L.P., HAS RELINQUISHED THE OPERATORSHIP OF THE ATTACHED WELL LOCATIONS TO KERR-McGEE OIL & GAS ONSHORE LP.

APPROVED 5/16/06  
*Earlene Russell*  
Division of Oil, Gas and Mining  
Earlene Russell, Engineering Technician

RECEIVED  
MAY 10 2006

DIV OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

BRAD LANEY

Title

ENGINEERING SPECIALIST

Signature

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

*Brad Laney*

Title

Date

5-9-06

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)